



SAFETY DATA SHEET
MAXI FORTEFOG P FUMER

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MAXI FORTEFOG P FUMER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Pesticide

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier PelGar International Ltd
Unit 13
Newman Lane
Alton
Hampshire
GU34 2QR
United Kingdom
+44(0)1420 80744
christine.unsworth@pelgar.co.uk

EU Legal Representative PelGar International Limited 18 rue des Remparts d'Ainay 69002 Lyon, France

1.4. Emergency telephone number

Emergency telephone +44(0)1420 80744 (Monday - Friday 9.00am - 5pm GMT)

MAXI FORTEFOG P FUMER

National emergency telephone number	Austria: +43 1 406 43 43 Belgium: 070 245 245 Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 Cyprus: 1401 Czech Republic: +420 224 919 293, +420 224 915 402 Denmark: +45 8212 1212 Estonia: 16662 Finland: 0800 147 111 France: + 33 (0)1 45 42 59 59 Germany: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT) Greece: (0030) 2107793777 Hungary: +36-80-201-199 Iceland: (+354) 543 1000 / 112 Ireland: Members of Public: +353 (01) 809 2166. (8am-10pm daily) Ireland: Healthcare Professionals: +353 (01) 809 2566 (24 hour service) Italy: 0382-24444 Latvia: +371 67042473 Liechtenstein: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT) Lithuania: +370 (85) 2362052 Luxembourg: 8002 5500 Malta: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT) Netherlands: +31(0)30 274 8888 Healthcare Professionals only Norway: 22 59 13 00 Poland: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT) Portugal: +351 800 250 250 Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: 112 Spain: +34 91 562 04 20 Sweden: 112 – Begär Giftinformation
--	--

SECTION 2: Hazards identification


2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Sens. 1 - H317
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
Human health	May cause sensitisation or allergic reactions in sensitive individuals.
Environmental	The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
Physicochemical	Product burns without a flame to give a dense white smoke.

2.2. Label elements

Hazard pictograms



Signal word Warning

MAXI FORTEFOG P FUMER

Hazard statements	H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	P102 Keep out of reach of children. P261 Avoid breathing fumes and dust. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P270 Do not eat, drink or smoke when using this product. P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P332+P313 If skin irritation occurs: Get medical advice/ attention. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations.
Contains	PERMETHRIN, POTASSIUM CHLORATE

2.3. Other hazards

Not known

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PERMETHRIN 10-30% CAS number: 52645-53-1 EC number: 258-067-9 M factor (Acute) = 1000 M factor (Chronic) = 1000
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
POTASSIUM CHLORATE 10-30% CAS number: 3811-04-9 EC number: 223-289-7
Classification Ox. Sol. 1 - H271 Acute Tox. 4 - H302 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Remove affected person from source of contamination. Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

MAXI FORTEFOG P FUMER

Ingestion	Rinse mouth thoroughly with water. If feeling unwell, seek medical attention. Do not induce vomiting.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor May cause an allergic reaction. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Do not use high volume water jet.

Unsuitable extinguishing media High volume water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire: In case of fire, toxic gases may be formed.

Hazardous combustion products Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Contain and collect extinguishing water.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Avoid contact with skin or inhalation of spillage, dust or vapour. Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel and broom. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Do not eat, drink or smoke when using the product.

MAXI FORTEFOG P FUMER

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in tightly-closed, original container in a dry and cool place. Keep away from heat, sparks and open flame.
Storage class	Keep in pesticide store. Physically and chemically stable for at least 2 years when stored in the original, unopened containers at ambient temperatures.

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	Pesticide smoke generator.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

TALC

Magnesium Carbonate TWA – 8hrs: 4 mg/m³ respirable dust; 10 mg/m³ total dust
Magnesium Silicate TWA – 8hrs: 1 mg/m³

Ingredient comments	When using this product, refer to the label for details. Should it be necessary to enter the treated area whilst smoke remains in the atmosphere, respiratory protective equipment and eye protection must be used (see HSE Guidance Booklet (HS)G53 'Respiratory Protective Equipment - A Practical Guide for Users')
----------------------------	--

8.2. Exposure controls

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Powder.
Colour	White/off-white.
Odour	Characteristic.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.

MAXI FORTEFOG P FUMER

Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Bulk density	No information available.
Solubility(ies)	Slightly soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	>130°C
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not known. No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Flammable/combustible materials.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic and corrosive gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Oral LD50 (rat) 554 mg/kg Permethrin; Inhalation LC50 (rat) >4.638 mg/l Permethrin; Oral LD50 (rat) 1200 mg/kg Potassium Chlorate.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 2,919.7

MAXI FORTEFOG P FUMER

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

ATE inhalation (dusts/mists mg/l) 19.0

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause skin sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

No specific symptoms known.

Ingestion

May cause sensitisation or allergic reactions in sensitive individuals.

Skin contact

May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged contact may cause dryness of the skin.

Eye contact

No specific symptoms known.

Route of exposure

Ingestion Inhalation Skin and/or eye contact

Target organs

No specific target organs known.

Medical considerations

Skin disorders and allergies.

MAXI FORTEFOG P FUMER

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 0.0076 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.00017 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 0.497 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects None known.

Toxicity of ingredients

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information This material and its container must be disposed of in a safe way.

Disposal methods Dispose of in accordance with applicable regional, national, and local laws and regulations. Dispose of Contaminated packaging as unused product unless fully cleaned.

Waste class Waste disposal key number from EWC is 20 01 19 (Pesticides)

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3077

UN No. (IMDG) 3077

UN No. (ICAO) 3077

UN No. (ADN) 3077

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)

MAXI FORTEFOG P FUMER

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M7
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	2Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

MAXI FORTEFOG P FUMER

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
IATA: International Air Transport Association.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
CAS: Chemical Abstracts Service.
ATE: Acute Toxicity Estimate.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
EC₅₀: 50% of maximal Effective Concentration.
PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations and acronyms

Skin Sens. = Skin sensitisation
Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

General information

The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product.

Classification procedures according to Regulation (EC) 1272/2008

Skin Sens. 1 - H317: Aquatic Acute 1 - H400: Aquatic Chronic 1 - H410:

Revision date

19/08/2021

Revision

14

MAXI FORTEFOG P FUMER

Supersedes date	07/03/2017
SDS number	20587
Hazard statements in full	H271 May cause fire or explosion; strong oxidiser. H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.