



**International**

**SAFETY DATA SHEET  
MIDI FORTEFOG P FUMER**

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** MIDI FORTEFOG P FUMER

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Pesticide

**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** PelGar International Ltd  
Unit 13  
Newman Lane  
Alton  
Hampshire  
GU34 2QR  
United Kingdom  
+44(0)1420 80744  
christine.unsworth@pelgar.co.uk

**1.4. Emergency telephone number**

**Emergency telephone** +44(0)1420 80744 (Monday - Friday 9.00am - 5pm GMT)

## MIDI FORTEFOG P FUMER

<b>National emergency telephone number</b>	Austria: +43 1 406 43 43
	Belgium: 070 245 245
	Bulgaria: +359 2 9154 233
	Croatia: +3851 2348 342
	Cyprus: 1401
	Czech Republic: +420 224 919 293, +420 224 915 402
	Denmark: +45 8212 1212
	Estonia: 16662
	Finland: 0800 147 111
	France: + 33 (0)1 45 42 59 59
	Germany: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT)
	Greece: (0030) 2107793777
	Hungary: +36-80-201-199
	Iceland: (+354) 543 1000 / 112
	Ireland: Members of Public: +353 (01) 809 2166. (8am-10pm daily)
	Ireland: Healthcare Professionals: +353 (01) 809 2566 (24 hour service)
	Italy: 0382-24444
	Latvia: +371 67042473
	Liechtenstein: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT)
	Lithuania: +370 (85) 2362052
Luxembourg: 8002 5500	
Malta: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT)	
Netherlands: +31(0)30 274 8888 Healthcare Professionals only	
Norway: 22 59 13 00	
Poland: +44 (0)1420 80744 (9am-5pm Monday- Friday GMT)	
Portugal: +351 800 250 250	
Romania: +40213183606	
Slovakia: +421 2 5477 4166	
Slovenia: 112	
Spain: +34 91 562 04 20	
Sweden: 112 – Begär Giftinformation	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	Skin Sens. 1 - H317
<b>Environmental hazards</b>	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
<b>Human health</b>	May cause sensitisation or allergic reactions in sensitive individuals.
<b>Environmental</b>	The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
<b>Physicochemical</b>	Product burns without a flame to give a dense white smoke.

#### 2.2. Label elements

##### Hazard pictograms



Signal word

Warning

## MIDI FORTEFOG P FUMER

<b>Hazard statements</b>	H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P102 Keep out of reach of children. P261 Avoid breathing fumes and dust. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P270 Do not eat, drink or smoke when using this product. P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P332+P313 If skin irritation occurs: Get medical advice/ attention. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations.
<b>UFI</b>	UFI: W4A0-M043-T001-FUA2
<b>Contains</b>	PERMETHRIN, POTASSIUM CHLORATE

### 2.3. Other hazards

Not known

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>PERMETHRIN</b>	<b>10-30%</b>
CAS number: 52645-53-1	EC number: 258-067-9
M factor (Acute) = 1000	M factor (Chronic) = 1000
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H332	
Skin Sens. 1 - H317	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
<b>POTASSIUM CHLORATE</b>	<b>10-30%</b>
CAS number: 3811-04-9	EC number: 223-289-7
<b>Classification</b>	
Ox. Sol. 1 - H271	
Acute Tox. 4 - H302	
Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General information</b>	Remove affected person from source of contamination. Remove contaminated clothing immediately and dispose of safely.
----------------------------	--

## MIDI FORTEFOG P FUMER

<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. If feeling unwell, seek medical attention. Do not induce vomiting.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** May cause an allergic reaction. Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Do not use high volume water jet.

**Unsuitable extinguishing media** High volume water jet.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** In case of fire: In case of fire, toxic gases may be formed.

**Hazardous combustion products** Does not decompose when used and stored as recommended.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Containers close to fire should be removed or cooled with water. Contain and collect extinguishing water.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Avoid contact with skin or inhalation of spillage, dust or vapour. Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel and broom. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

## MIDI FORTEFOG P FUMER

**Usage precautions** Read and follow manufacturer's recommendations. Do not eat, drink or smoke when using the product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in tightly-closed, original container in a dry and cool place. Keep away from heat, sparks and open flame.

**Storage class** Keep in pesticide store. Physically and chemically stable for at least 2 years when stored in the original, unopened containers at ambient temperatures.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**Usage description** Pesticide smoke generator.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### TALC

Magnesium Carbonate TWA – 8hrs: 4 mg/m<sup>3</sup> respirable dust; 10 mg/m<sup>3</sup> total dust

Magnesium Silicate TWA – 8hrs: 1 mg/m<sup>3</sup>

**Ingredient comments** When using this product, refer to the label for details. Should it be necessary to enter the treated area whilst smoke remains in the atmosphere, respiratory protective equipment and eye protection must be used (see HSE Guidance Booklet (HS)G53 'Respiratory Protective Equipment - A Practical Guide for Users')

### 8.2. Exposure controls

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

**Hand protection** For prolonged or repeated skin contact use suitable protective gloves.

**Other skin and body protection** Wear apron or protective clothing in case of contact.

**Hygiene measures** Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet.

**Respiratory protection** No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance** Powder.

**Colour** White/off-white.

**Odour** Characteristic.

**Odour threshold** No information available.

**pH** No information available.

**Melting point** No information available.

**Initial boiling point and range** No information available.

## MIDI FORTEFOG P FUMER

<b>Flash point</b>	No information available.
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Other flammability</b>	No information available.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	No information available.
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	>130°C
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	No information available.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

### 9.2. Other information

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

##### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

##### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not known. No potentially hazardous reactions known.

##### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

##### 10.5. Incompatible materials

**Materials to avoid** Flammable/combustible materials.

##### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic and corrosive gases or vapours.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

**Toxicological effects** Oral LD50 (rat) 554 mg/kg Permethrin; Inhalation LC50 (rat) >4.638 mg/l Permethrin; Oral LD50 (rat) 1200 mg/kg Potassium Chlorate.

##### Acute toxicity - oral

## MIDI FORTEFOG P FUMER

<b>Notes (oral LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>ATE oral (mg/kg)</b>	2,919.7
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>ATE inhalation (dusts/mists mg/l)</b>	19.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Based on available data the classification criteria are not met.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	May cause skin sensitisation or allergic reactions in sensitive individuals.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	None of the ingredients are listed or exempt.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Not relevant. Solid.
<b><u>General information</u></b>	
<b>Inhalation</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin contact</b>	May cause sensitisation or allergic reactions in sensitive individuals.
<b>Eye contact</b>	May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged contact may cause dryness of the skin.
<b>Route of exposure</b>	No specific symptoms known.
<b>Route of exposure</b>	Ingestion Inhalation Skin and/or eye contact

## MIDI FORTEFOG P FUMER

**Target organs** No specific target organs known.

**Medical considerations** Skin disorders and allergies.

### SECTION 12: Ecological information

**Ecotoxicity** The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

#### 12.1. Toxicity

**Toxicity** Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 0.0076 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 0.00017 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** IC<sub>50</sub>, 72 hours: 0.497 mg/l, Algae

#### 12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

#### 12.4. Mobility in soil

**Mobility** No data available.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

**Other adverse effects** None known.

#### Toxicity of ingredients

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** This material and its container must be disposed of in a safe way.

**Disposal methods** Dispose of in accordance with applicable regional, national, and local laws and regulations. Dispose of Contaminated packaging as unused product unless fully cleaned.

**Waste class** Waste disposal key number from EWC is 20 01 19 (Pesticides)

### SECTION 14: Transport information

#### 14.1. UN number

**UN No. (ADR/RID)** 3077

**UN No. (IMDG)** 3077

**UN No. (ICAO)** 3077

**UN No. (ADN)** 3077

#### 14.2. UN proper shipping name



## MIDI FORTEFOG P FUMER

<b>Proper shipping name (ADR/RID)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)
<b>Proper shipping name (IMDG)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)
<b>Proper shipping name (ICAO)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)
<b>Proper shipping name (ADN)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PERMETHRIN and POTASSIUM CHLORATE)

### 14.3. Transport hazard class(es)

<b>ADR/RID class</b>	9
<b>ADR/RID classification code</b>	M7
<b>ADR/RID label</b>	9
<b>IMDG class</b>	9
<b>ICAO class/division</b>	9
<b>ADN class</b>	9

#### Transport labels



### 14.4. Packing group

<b>ADR/RID packing group</b>	III
<b>IMDG packing group</b>	III
<b>ICAO packing group</b>	III
<b>ADN packing group</b>	III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

<b>EmS</b>	F-A, S-F
<b>ADR transport category</b>	3
<b>Emergency Action Code</b>	2Z
<b>Hazard Identification Number (ADR/RID)</b>	90
<b>Tunnel restriction code</b>	(-)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## MIDI FORTEFOG P FUMER

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations

Authorisation number: PCS 95373  
 Health and Safety at Work etc. Act 1974 (as amended).  
 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
 EH40/2005 Workplace exposure limits.

##### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
 Commission Regulation (EU) No 2015/830 of 28 May 2015.  
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

##### Inventories

##### EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

### SECTION 16: Other information

##### Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.  
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.  
 IATA: International Air Transport Association.  
 ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
 IMDG: International Maritime Dangerous Goods.  
 CAS: Chemical Abstracts Service.  
 ATE: Acute Toxicity Estimate.  
 LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.  
 LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).  
 EC<sub>50</sub>: 50% of maximal Effective Concentration.  
 PBT: Persistent, Bioaccumulative and Toxic substance.  
 vPvB: Very Persistent and Very Bioaccumulative.

##### Classification abbreviations and acronyms

Skin Sens. = Skin sensitisation  
 Aquatic Acute = Hazardous to the aquatic environment (acute)  
 Aquatic Chronic = Hazardous to the aquatic environment (chronic)

##### General information

The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product.

##### Classification procedures according to Regulation (EC) 1272/2008

Skin Sens. 1 - H317: : Calculation method. Aquatic Acute 1 - H400: Aquatic Chronic 1 - H410: : Calculation method.

## MIDI FORTEFOG P FUMER

<b>Revision date</b>	16/07/2021
<b>Revision</b>	14
<b>Supersedes date</b>	07/03/2017
<b>SDS number</b>	20588
<b>Hazard statements in full</b>	H271 May cause fire or explosion; strong oxidiser. H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.